

scrubber-dryer

RT-Onyx

BE BACK TO PEOPLE
FLOORPUL
INTERNATIONAL NV

RT-LINE
Recycled Technology



Ride-on scrubber-dryer with traction



Power supply 24V/28Ah



Autonomy 60-75 min



Cleaning width 345mm



Solution/recovery tanks 15/16 l



Brush diameter 1x345 mm



Brush pressure 25kg



Brush speed 170 rpm



35%
Total recycled material



27%
Recycled plastic



76%
Recycled iron

Floorpul's compact, agile and versatile **RT-Onyx** scrubber-dryer is perfect for cleaning tight spaces and dynamic environments.

It is the **eco-friendly** variant of our traditional **Onyx scrubber dryer** and is built with **recycled metal** (75%) and **plastic** (25%).

The RT-Onyx is a **high-performing** scrubber-dryer with a **modern design**, made with a **genuine commitment** to the planet's future in mind.



TECHNICAL DATA

Manufacturer: Floorpul NV
Registered Office: Generaal Deprezstraat 10A
 8530 Harelbeke
 West-Vlaanderen - Belgium

Theoretical productivity:	1240 m²/h
Squeegee width:	410 mm
Brush motors:	200 Watt
Maximum gradient:	2%
Suction motor:	200 Watt
Depression:	90 mbar
Packaging dimensions:	L: 753 mm
	(with squeegee) W: 415 mm
	H: 550 mm
Machine weight: (with batt.)	65 kg
Battery compartment:	L: 270 mm
	W: 215 mm
	H: 190 mm
Class:	III
Protection grade:	IP 23

WELLBEING and COMFORT FOR THE OPERATOR



Sound pressure level L_{pa}
 (In accordance with annex DD IEC/EN 60335-2-72)

66.8 dB (A)

Hand-arm vibration level
 (In accordance with annex EE IEC/EN 60335-2-72)

1,48 m/s²

DECLARATIONS



Machinery compliant with the safety and quality standards required by current European legislation and supplied with an EC Declaration of Conformity



Machinery compliant with Regulation (EC) No. 1907/2006 (REACH) on the Registration, Evaluation, Authorisation and Restriction of Chemicals.



Machinery made with components that comply with Directive 2011/65/EU and 2015/863 (RoHS), which restricts the use of hazardous substances in electrical and electronic equipment.