Scrubber

ruby 48bh 3SD





Walk-behind machine with traction



Power supply 24V/110Ah



Theoretical hourly performance 2-4h



Cleaning width 508mm



Solution/recovery tanks 40/42l



Disc brush 1x508mm



Max brush pressure 30kg



Brush speed 150rpm



SUPPLIED AS STANDARD



OPTIONAL



Lithium batteries



Ozono system



Combination 3SD + Ozone combination

The Ruby 48 BH 3SD floor scrubber stands out for its smart control of water and detergent consumption, optimizing resource usage and reducing waste. Quiet and compact, it is ideal for environments that require a low level of noise, while still ensuring effective and professional cleaning.











TECHNICAL DATA

Manufacturer: Floorpul NV

Registered Office:

Generaal Deprezstraat 10A 8530 Harelbeke West-Vlaanderen - Belgium

Theoretical productivity:	2030 m ² /h
Squeegee width:	770 mm
Detergent tank capacity:	3 I
Brush motor:	450 Watt
Traction motor:	120 Watt
Maximum gradient:	2%
Forward speed:	4 km/h max
Suction motor:	450 Watt
Suction vacuum:	120 mbar
Machine dimensions:	L: 1207 mm
(w/o squeegee)	W: 560 mm
	H: 1068 mm
Machine weight (w/o batteries)	91 kg
Battery compartment:	L: 350 mm
	W: 342 mm
	H: 295 mm
Class:	III
Protection level:	IP 23

WELLBEING and COMFORT FOR THE OPERATOR



Sound pressure level Lpa (in accordance with annex DD IEC/EN 60335-2-72)

70.3 db (A)



Sound pressure level: in SILENT mode

65.2 db (A)

Hand-arm vibration level (in accordance with annex EE IEC/EN 60335-2-72)

0.75 m/s²

DECLARATIONS



Machinery compliant with the safety and quality standards required by current European legislation and supplied with an EC Declaration of Conformity.



Machinery compliant with Regulation (EC) No. 1907/2006 (REACH) on the Registration, Evaluation, Authorisation and Restriction of Chemicals.



Machinery made with components that comply with Directive 2011/65/EU and 2015/863 (RoHS), which restricts the use of hazardous substances in electrical and electronic equipment.