### Scrubber

# AUARTZ 66





Ride-on machine with traction



Power supply 24V/210Ah



Theoretical hourly performance 4-5h



Cleaning width 685mm



Solution/recovery tanks 100/106l



Disc brushes 2x355mm



Brushes pressure max. 57kg



Brush speed 160rpm







TELEMATICS



Lithium batteries



3S - Solution saving system



3SD - Solution saving system Dispenser



Ozono system

With a wider cleaning path compared to the more compact version, the **Quartz 66 floor scrubber** delivers efficient cleaning of **medium to** large surfaces while maintaining compact dimensions and exceptional maneuverability. Its large tank capacity allows for extended operation without interruptions, while the robust construction and ease of use make it ideal for hospitality facilities, gyms, and commercial spaces.











#### **TECHNICAL DATA**

**Manufacturer:** Floorpul NV

#### **Registered Office:**

Generaal Deprezstraat 10A 8530 Harelbeke West-Vlaanderen - Belgium

| Theoretical productivity:      | 4110 m <sup>2</sup> /h |
|--------------------------------|------------------------|
| Squeegee width:                | 900 mm                 |
| Brush motor:                   | 2x 350 Watt            |
| Traction motor:                | 500 Watt               |
| Maximum gradient:              | 10%                    |
| Forward speed:                 | 5 km/h max             |
| Right turning radius:          | 2000 mm                |
| Left turning radius:           | 1986 mm                |
| Suction motor:                 | 570 Watt               |
| Suction vacuum:                | 160 mbar               |
| Machine dimensions:            | L: 1540 mm             |
| (w/o squeegee)                 | W: 765 mm              |
|                                | H: 1388 mm             |
| Machine weight (w/o batteries) | 213 kg                 |
| Battery compartment (x2):      | L: 535 mm              |
|                                | W: 190 mm              |
|                                | H: 325 mm              |
| Class:                         | I                      |
| Protection level:              | IP 23                  |

## WELLBEING and COMFORT FOR THE OPERATOR



Sound pressure level Lpa (in accordance with annex DD IEC/EN 60335-2-72)

74,3 db (A)



Sound pressure level: in SILENT mode

63,9 db (A)

Hand-arm vibration level (in accordance with annex EE IEC/EN 60335-2-72)

0.33 m/s<sup>2</sup>

#### **DECLARATIONS**



Machinery compliant with the safety and quality standards required by current European legislation and supplied with an EC Declaration of Conformity.



Machinery compliant with Regulation (EC) No. 1907/2006 (REACH) on the Registration, Evaluation, Authorisation and Restriction of Chemicals.



Machinery made with components that comply with Directive 2011/65/EU and 2015/863 (RoHS), which restricts the use of hazardous substances in electrical and electronic equipment.