

### Scrubber

# opal 70 orbital:



Walk-behind machine with traction



Power supply 24V/210Ah



Theoretical hourly performance 3-5h



Cleaning width 700mm



Solution/recovery tanks 75/85l



Pad size 700x350 mm



Adjustable pressure on pad max.60kg



#### **OPTIONAL**



Lithium batteries




3S - Solution saving system



Ozono system

The Opal 70 Orbital floor scrubber combines power and sustainability, thanks to its orbital technology that ensures reduced water and detergent consumption. Ideal for those looking for a machine capable of reaching even the most difficult corners, such as along shelves and walls. Perfect for industrial environments that require deep and constant cleaning.







#### **TECHNICAL DATA**

**Manufacturer:** Floorpul NV

#### **Registered Office:**

Generaal Deprezstraat 10A 8530 Harelbeke West-Vlaanderen - Belgium

Theoretical productivity:	1400 m <sup>2</sup> /h
Squeegee width:	900 mm
Brush motor:	750 Watt
Traction motor:	300 Watt
Maximum gradient:	10%
Forward speed:	3.3 km/h
Suction motor:	570 Watt
Suction vacuum:	160 mbar
Machine dimensions:	L: 1385 mm
(w/o squeegee)	W: 735 mm
	H: 1045 mm
Machine weight (w/o batteries)	158 kg
Battery compartment:	L: 495 mm
	W: 385 mm
	H: 290 mm
Class:	III
Protection level:	IP X3

## WELLBEING and COMFORT FOR THE OPERATOR



sound pressure level Lpa (in accordance with annex DD IEC/EN 60335-2-72)

<70 db (A)

Hand-arm vibration level (in accordance with annex EE IEC/EN 60335-2-72)

 $m/s^2$ 

#### **DECLARATIONS**



Machinery compliant with the safety and quality standards required by current European legislation and supplied with an EC Declaration of Conformity.



Machinery compliant with Regulation (EC) No. 1907/2006 (REACH) on the Registration, Evaluation, Authorisation and Restriction of Chemicals.



Machinery made with components that comply with Directive 2011/65/EU and 2015/863 (RoHS), which restricts the use of hazardous substances in electrical and electronic equipment.