



Walk behind machine with traction

Battery autonomy 3 -5 h

Batteries 4 x 6 V / 210 Ah-5h

Working width 685 mm / 785 mm

Tanks solution/recovery 75 / 85 l

Brushes diameter 2 x 355 mm / 2 x 406 mm

Brush pressure adjustable max. 50 kg



Brush speed 160 Tr/mn

Squeegee width	66 860mm
Squeegee width	80 1000 mm
Motor brush	2x 350 W
Traction motor	300 Watt
Traction	automatic
Movement spee	d max. 4 km/h
Maximum gradie	ent 10%
Suction motor	570 watt
Suction vacuum	160 mbar
Machine dimensions	
length 14	90mm / 1525 mm
height	1045 mm
width w/o squeegee	760mm/855mm
weight	153/ 158 kg
Battery compartment	
length	500 mm
width	385 mm
height	290 mm
Class	
Proteccion level	¥ IP 23
Noise Level	<70 Db (A)



OPAL 66 / OPAL 80

Theoretical working capacity

2740 / 3140 m²/h

The OPAL is a walk-behind scrubber drier in the segment of compact and powerfull machines. Working autonomie, ratio m^2/h and capacity of the tanks enable the machine to evolve into demandeing sites like distribution and industry. Its dimensions give excellent manoeuvrability.

An innovative system for the electronic management of the electric motors gives you the ability to adjust, on the control panel, the speed of the machine and the nois level of the vacuummotor, and this for a better comfort while working.

Strong points :

- Electric lifting and lowering of the brush group.
- Quality of the suction (squeegee with high efficiency and 3stage suction motor)
- Important brush pressure 50kg
- Electronic control of the motors on the control panel:
 - \circ Machine speed
 - \circ Noise level
- A pneumatic pump helps in lifting the recoverytank so that all maintenance is easier. (battery level, emptying of the tanks, technical controls etc...)

Water consumption tap half-open = 1,90 L/min Water consumption tap complete open = 3,00 L/min With a full tank you can work between 33 and 53 minutes.







We reserve the right to make technical modifications



FLOORPUL INT N.V. Generaal Deprezstraat 10A 530 Harelbeke Belgium Tel.: 0032 56 224044 Fax: 0032 56 228974 info@floorpul.com www.floorpul.com